

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	999	i-mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/21 11:31
L2	0	i-mode and 713/187.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/21 11:31
L3	19	i-mode and "713"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/21 13:25
L4	153	RADIUS same ((wireless or mobile or cellular) near5 (gateway or router or proxy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/21 13:26
L5	72	RADIUS same ((wireless or mobile or cellular) near5 (gateway or router or proxy)) and (charg\$4 or pay\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/21 13:28
L6	58	RADIUS same ((wireless or mobile or cellular) near5 (gateway or router or proxy)) and (charg\$4 or payment or paying or purchas\$4 or sell\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/21 13:29
S2	1	ep-280085-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 08:41
S5	4	"9532592"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 09:33
S7	4	"2280085".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 11:49

## EAST Search History

S8	110	(gateway or router or proxy or GGSN) with ((transmit\$3 or generat\$3 or provid\$3) near3 ("IP address" or address) and (MSISDN or IMSI or "identification number" or identification or ID or ((subscriber or user or client) near2 identity))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 08:49
S9	26	(gateway or router or proxy or GGSN) with ((transmit\$3 or generat\$3 or provid\$3) near3 ("IP address" or address) and (MSISDN or IMSI or "identification number" or identification or ID or ((subscriber or user or client) near2 identity)))) and @ad <="19990702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 11:10
S10	2	(gateway or router or proxy or GGSN) with ((transmit\$3 or generat\$3 or provid\$3) near3 ("IP address") and (MSISDN or IMSI or "identification number" or identification or ID or ((subscriber or user or client) near2 identity)))) and @ad <="19990702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 09:17
S11	2	"5898922".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 09:33
S12	121	713/187.ccls. and @ad <="19990702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 11:11
S13	0	713/187.ccls. and (VAS or "Value Added Service") and (identif\$3 near3 (user or subscriber)) and @ad <="19990702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 11:15
S16	0	713/187.ccls. and ("Value Added Service") and @ad <="19990702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 11:17
S17	0	713/187.ccls. and ("Value-Added Service") and @ad <="19990702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 11:17

## EAST Search History

S18	242	("Value-Added Service") and @ad <="19990702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 11:17
S19	1	("Value-Added Service") same (identif\$3 near3 (user or subscriber)) and @ad <="19990702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 13:53
S20	0	713/187.ccls. and (("data packet" or "data structure" or "data block") with ("IP address")) and @ad <="19990702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 13:56
S21	380	((("data packet" or "data structure" or "data block") with ("IP address")) and @ad <="19990702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 13:56
S22	67	(gateway or proxy or router) with (("data packet" or "data structure" or "data block") with ("IP address")) and @ad <="19990702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 13:57
S25	2	wo-9959283-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/08 08:23